

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	509	(712/200).CCLS.	US-PGPUB; USPAT	OR	OFF	2010/04/10 16:05
L2	41	cach\$3 with ((revers \$3) with program \$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/10 16:05
L3	14	(trace near4 cach \$3) near4 branch\$3 near4 line\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/10 16:05
L4	17	((trace near4 cach \$3) near4 branch \$3) with (cache near4 lin\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/10 16:05
L5	0	((trace near4 cach \$3) near4 branch \$3) with ("out-of- order")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/10 16:06
L6	35	((trace near4 cach \$3) near4 branch \$3) same ("out-of- order")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/10 16:06
L7	35	((trace near4 cach \$3) near4 branch \$3) same (out?of? order)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/10 16:06
L8	74	((trace near4 cach \$3) near4 branch \$3) and (out?of? order)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/10 16:06
L9	2	((trace near4 cach \$3) near4 branch \$3) with (cache near4 lin\$3)) and (out?of?order)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/10 16:06
L10	2	((trace near4 cach \$3) near4 branch \$3) with (lin\$3)) and (out?of?order)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/10 16:07

L11	34	((trace near4 cach\$3) near4 branch\$3) and ((out?of?order) near4 trac\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/10 16:07
L12	72	(stack\$3 near4 cach\$3) with trac\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/10 16:07
L13	2	(trace near4 cach\$3) same (nest\$3 with loop\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/10 16:08
L14	14	(trace) with (nest\$3 with loop\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/10 16:08
L15	11	(trace near4 cach\$3) near4 lin\$3 near4 (branch\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/10 16:08
L16	3986	(cach\$3 near4 (line\$1 or entr\$3)) with (revers\$5) with (instruction\$1 (block\$1 or segment\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/10 16:09
L17	16	(cach\$3 near4 (line\$1 or entr\$3)) with (revers\$5) with (instruction\$1 (block\$1 or segment\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/10 16:09
L18	0	(cach\$3 near4 (line\$1 or entr\$3)) with (revers\$5) with (instruction\$1 near4 (block\$1 or segment\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/10 16:14
L19	9	(cach\$3 near4 (line\$1 or entr\$3)) with (revers\$5) with (instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/10 16:14
L20	11	(cach\$3 with (line\$1 or entr\$3)) with (revers\$5) with (instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/10 16:17
S1	386	(712/200).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 15:20

S2	65	cache near4 (entr\$3 or segment\$1 or line\$1) near4 (reverse or backward\$1 or opposite\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 15:32
S3	62	cache near4 (entr\$3 or line\$1) near4 (reverse or backward\$1 or opposite\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 15:21
S4	3	(grow\$3 or append\$3 or insert\$3 or append\$3 or add\$3 or extend\$3) near4 (trace near4 (cache\$1 or buffer\$1)) near4 order\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 15:34
S5	12	(grow\$3 or append\$3 or insert\$3 or append\$3 or add\$3 or extend\$3) with (trace near4 (cache\$1 or buffer\$1)) with order\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 15:35
S6	72	(grow\$3 or append\$3 or insert\$3 or append\$3 or add\$3 or extend\$3) same (trace near4 (cache\$1 or buffer\$1)) same order\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 15:35
S7	62	cach\$3 near4 stack\$3 near4 order\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 15:57
S8	1	(trace near4 (cach\$3 or buffer\$3)) near4 stack\$3 near4 order\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 16:01

S9	25	("4186438" "4458310" "4463424" "4503501" "5043885" "5357623" "5394531" "5537635" "5751993" "5822562" "5892937" "5966726" "6012126" "6067608" "6072830" "6088767" "6105103" "6141731" "6330556" "6370619" "6378043" "6470419" "6493800" "6507893" "6542967").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/25 15:58
S10	1	(trace near4 (cach \$3 or buffer\$3)) with stack\$3 with order\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 15:59
S11	36	(trace near4 (cach \$3 or buffer\$3)) with stack\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 16:07
S12	22	(trace near4 (cach \$3 or buffer\$3)) near4 stack\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 16:01
S13	870	trace near4 stack\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 16:07
S14	19	trace near4 stack\$3 near4 order\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 16:08
S15	43	(trace near4 stack \$3) with order\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 16:10

S16	223	trac\$3 near4 stack \$3 near4 stor\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 16:10
S17	3	trac\$3 near4 stack \$3 near4 stor\$3 near4 order\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 16:10
S18	400	(712/200).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 14:21
S19	416	(712/200).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/04/10 14:25
S20	1	((cach\$3 or queue \$3) near4 instruction \$1 near4 ((reverse or backward\$1 or opposite) near4 (program\$4 or sequenc\$3 or order \$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 14:32
S21	5	((cach\$3 or queue \$3) near4 instruction \$1) with ((reverse or backward\$1 or opposite) near4 (program\$4 or sequenc\$3 or order \$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 15:03
S22	12	(trac\$3 near4 (cach \$3 or queue\$3) near4 instruction\$1) with (loop\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 15:36
S23	65	(trac\$3 near4 (cach \$3 or queue\$3)) with (loop\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 15:46
S24	0	(trac\$3 near4 (cach \$3 or queue\$3)) with (loop\$3 near4 un?roll\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 15:37
S25	0	(trac\$3 near4 (cach \$3 or queue\$3)) with (loop\$3 near4 roll\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 15:37

S26	41	(trace\$1 near4 (cach\$3 or queue\$3)) with (loop\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 16:17
S27	43	trace\$1 with cach\$3 with (loop\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 16:19
S28	0	trace\$1 with cach\$3 with loop\$3 with unroll\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 16:22
S29	0	(trace\$1 with cach\$3) same (loop\$3 with unroll\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 16:20
S30	14	(trace\$1 with cach\$3) same (loop\$3 with unroll\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 16:20
S31	11	trace\$1 with cach\$3 with loop\$3 with unroll\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 16:24
S32	11	trace\$1 with cach\$3 with backward\$1 with (jump\$3 or branch\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 16:27
S33	21	(trace\$1 with cach\$3) same (backward\$1 with (jump\$3 or branch\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 16:27
S34	429	(712/200).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/27 11:48
S35	2	cach\$3 near4 (revers\$3 near4 program\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/27 12:01
S36	0	cach\$3 near4 (backward\$1 near4 program\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/27 12:01
S37	8	cach\$3 with ((backward\$1 or revers\$3) near4 program\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/27 12:07

S38	45	cach\$3 with ((backward\$1 or revers\$3) with program\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/27 12:11
S39	26	cach\$3 with ((\revers\$3) with program\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/27 12:11
S40	26	cach\$3 with ((revers\$3) with program\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/27 12:11
S41	455	(712/200).CQLS.	US-PGPUB; USPAT	OR	OFF	2008/06/09 09:06
S42	28	cach\$3 with ((revers\$3) with program\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/06/09 09:07
S43	8	cach\$3 with ((backward\$1 or revers\$3) near4 program\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/06/09 09:07
S44	478	(712/200).CQLS.	US-PGPUB; USPAT	OR	OFF	2009/02/09 13:47
S45	30	cach\$3 with ((revers\$3) with program\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/09 13:47
S46	13	(trace near4 cach\$3) near4 branch\$3 near4 line\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/09 14:16
S47	1	("5,381,533").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/09 14:18
S48	16	((trace near4 cach\$3) near4 branch\$3) with (cache near4 lin\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/09 14:20
S49	0	((trace near4 cach\$3) near4 branch\$3) with ("out-of-order")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/09 14:32

S50	35	((trace near4 cach \$3) near4 branch \$3) same ("out-of- order")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/09 14:45
S51	35	((trace near4 cach \$3) near4 branch \$3) same (out?of? order)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/09 15:08
S52	70	((trace near4 cach \$3) near4 branch \$3) and (out?of? order)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/09 15:09
S53	1	((trace near4 cach \$3) near4 branch \$3) with (cache near4 lin\$3)) and (out?of?order)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/09 15:10
S54	1	((trace near4 cach \$3) near4 branch \$3) with (lin\$3)) and (out?of?order)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/09 15:10
S55	34	((trace near4 cach \$3) near4 branch \$3) and ((out?of? order) near4 trac\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/09 15:11
S56	70	(stack\$3 near4 cach \$3) with trac\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/13 09:58
S57	32	(stack\$3 near4 cach \$3) near4 trac\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/13 09:58
S58	19	(stack\$3 near4 cach \$3) with trace	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/13 09:58
S59	0	(trace near4 cach \$3) with (nest\$3 near4 loop\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/13 11:14
S60	2	(trace near4 cach \$3) same (nest\$3 near4 loop\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/13 11:14

S61	2	(trace near4 cach\$3) same (nest\$3 with loop\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/13 11:14
S62	14	(trace) with (nest\$3 with loop\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/13 11:15
S63	106	(trace near4 cach\$3) near4 lin\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/13 16:02
S64	11	(trace near4 cach\$3) near4 lin\$3 near4 (branch\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/13 16:02
S65	493	(712/200).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/08/16 16:32
S66	11	(trace near4 cach\$3) near4 lin\$3 near4 (branch\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/08/16 16:32
S67	19	(stack\$3 near4 cach\$3) with trace	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/08/16 16:32
S68	33	(stack\$3 near4 cach\$3) near4 trac\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/08/16 16:32
S69	4	trac\$3 near4 stack\$3 near4 stor\$3 near4 order\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/08/16 16:32
S70	30	cach\$3 with ((revers\$3) with program\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/08/16 16:32

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L21	3	(712/200).CCLS.	UPAD	OR	OFF	2010/04/10 16:21

L22	10	(cach\$3 with ((revers\$3) with program\$4)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/10 16:23
L23	0	((trace near4 cach\$3) near4 branch\$3 near4 line\$3).clm.	USPAT; UPAD	OR	OFF	2010/04/10 16:23
L24	2	((trace near4 cach\$3) near4 branch\$3 near4 line\$3).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/10 16:24
L25	2	((trace near4 cach\$3) near4 branch\$3) with (cache near4 lin\$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/10 16:24
L26	0	((trace near4 cach\$3) near4 branch\$3) with ("out-of-order")).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/10 16:24
L27	0	((trace near4 cach\$3) near4 branch\$3) same ("out-of-order")).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/10 16:24
L28	0	((trace near4 cach\$3) near4 branch\$3) same (out?of?order)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/10 16:24
L29	1	((trace near4 cach\$3) near4 branch\$3) and (out?of?order)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/10 16:24
L30	0	((trace near4 cach\$3) near4 branch\$3) with (cache near4 lin\$3)) and (out?of?order)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/10 16:24
L31	0	((trace near4 cach\$3) near4 branch\$3) with (lin\$3)) and (out?of?order)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/10 16:24

L32	0	((trace near4 cach\$3) near4 branch\$3) and ((out?of?order) near4 trac\$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/10 16:25
L33	15	((stack\$3 near4 cach\$3) with trac\$3).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/10 16:25
L34	0	((trace near4 cach\$3) same (nest\$3 with loop\$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/10 16:25
L35	1	((trace) with (nest\$3 with loop\$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/10 16:25
L36	2	((trace near4 cach\$3) near4 lin\$3 near4 (branch\$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/10 16:25
L37	2	((cach\$3 near4 (line\$1 or entr\$3)) with (revers\$5) with (instruction \$1 (block\$1 or segment\$1))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/10 16:25
L38	0	((cach\$3 near4 (line\$1 or entr\$3)) with (revers\$5) with (instruction \$1 near4 (block\$1 or segment\$1))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/10 16:25
L39	2	((cach\$3 near4 (line\$1 or entr\$3)) with (revers\$5) with (instruction \$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/10 16:25
L40	3	((cach\$3 with (line \$1 or entr\$3)) with (revers\$5) with (instruction \$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/10 16:26

4/ 10/ 10 4:29:27 PM

C:\ Documents and Settings\ Ali\ My Documents\ EAST\ Workspaces\ 09708722.wsp